INITIAL REVIEW EXPOSURE REPORT (IRExR)

Chemical ID: P-18-0100 **Reviewer: EvaWong/ND**

Results Table: Dose, Concentration, and Days Exceeded Results Summary

Exposure Scenario[1]	Water						Landfill	Stack Air		Fugitive Air	
Release activity(ies)[2]; exposure calculation(s)[3]	Drinking Water		Fish Ingestion		7Q10[4] CC = 1000	PDM Days Exceeded	LADD	ADR (24-hr conc.)	LADD (Annual conc.)	ADR (24-hr conc.)	LADD (Annual conc.)
	ADR	LADD	ADR	LADD							
	mg/kg/day	mg/kg/day	mg/kg/day	mg/kg/day	µg/l	# Days	mg/kg/day	mg/kg/day (µg/m^3)	mg/kg/day (µg/m^3)	mg/kg/day (µg/m^3)	mg/kg/day (µg/m^3)
PROC: Max ADR	**9.13E-04**	---	---	---	---	---	---	---	---	---	---
PROC: Max LADD	---	**2.62E-06**	---	---	---	---	---	---	---	---	---
USE: Max ADR	**9.62E-05**	---	---	---	---	---	---	---	---	---	---
USE: Max LADD	---	**3.08E-06**	---	---	---	---	---	---	---	---	---

[1] Exposure scenario titles consist of release activity followed by exposure calculation abbreviation.
[2] Release activities are from engineering report's Manufacturing (Mfg), Processing (Proc) and Use release activity labels. Multiple release activities are combined in one exposure scenario if their releases occur at same location.
[3] Exposure calculations are Acute Dose Rate (ADR), Lifetime Average Daily Dose (LADD), and Probabilistic Dilution Model (PDM). There may be one, two, or all three exposure calculations per exposure scenario. CC is the aquatic concentration of concern.
[4] This column displays concentration values for the 7Q10 streamflow, which is defined as the average daily streamflow of the seven consecutive days of lowest flow within a ten year period.

Remarks: [redacted]

SCALING FACTORS FOR DRINKING WATER DOSE

Age Group	Scaling Factor for ADR	Scaling Factor for ADD
Adults	1.0	1.0
Birth to 1	**4.17**	**11.49**
1-2	1.63	3.91
3-5	1.24	3.10
6-10	1.12	2.51
11-15	0.83	1.77
16-21	0.79	1.55
Pregnant	1.02	2.07
Lactating	1.31	3.84

Scaling factors for ADR are based on the ratio of 95th percentile drinking water intake/body weight for each age group compared to the 95th percentile drinking water intake/body weight ratio for adults from Table 3-1 of the 2011 edition of the Exposure Factors Handbook.

Scaling factors for age specific ADD are based on the ratio of the mean drinking water intake/body weight for each age group compared to the mean drinking water intake/body weight ratio for adults from Table 3-1 of the 2011 edition of the Exposure Factors Handbook.

Note, default LADD values are based on assumption that 33 years of lifetime exposure occurs in adulthood. If that exposure starts at birth, the LADD increases by 10% (1.1). However, central tendency duration (13 years) and consideration of age specific adjustment factors (ADAF) can be considered on an as needed basis (LADD Scaling factors range from 0.6 to 4.1).

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0100 Assessor: EvaWong/ND

ENVIRONMENTAL RELEASES

Scenario#:1 Number of Release Sites [redacted]

Release Activity: PROC: Max ADR

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
Total Releases:	[redacted]	[redacted]	[redacted]	[redacted]
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
		Non-sludge/Sludge		
Release Days/yr:	[redacted]	[redacted]	[redacted]	[redacted]
Per Site Release:	[redacted]	[redacted]	[redacted]	[redacted]
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0100

SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 1 Number of Sites: [redacted] RELEASE ACTIVITY:PROC: Max ADR

SIC-CODE DESCRIPTION: [redacted]

SIC-CODE (S): [redacted] EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER								
PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				STREAM CONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10
ALL	50	109.29	30.28	18.19	15.12	6.68	24.11	40.13	48.28
ALL	10	109.29	30.28	18.19	15.12	6.68	24.11	40.13	48.28

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES						
Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units
	50%	10%		50%	10%	
Cancer						
$LADD_{pot}$	2.62E-06	2.62E-06	mg/kg/day	0.00	0.00	mg/kg/day
$LADC_{pot}$	2.01E-04	2.01E-04	mg/L	0.00	0.00	mg/kg
Acute						
ADR_{pot}	9.13E-04	9.13E-04	mg/kg/day	0.00	0.00	mg/kg/day

SIC Code Comments:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0100

SIC CODE EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 1 RELEASE ACTIVITY: PROC: Max ADR

SIC CODE DESCRIPTION: [redacted]

ASSOCIATED SIC CODES: [redacted]

SIC CODE RESULTS

COC (µg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Loading (kg/site/day)	Waste Water Treatment (%)	High/Avg Analysis
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0100 Assessor: EvaWong/ND

ENVIRONMENTAL RELEASES

Scenario#:2 Number of Release Sites: [redacted]

Release Activity: PROC: Max LADD

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
Total Releases:	[redacted]	[redacted]	[redacted]	[redacted]
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
		Non-sludge/Sludge		
Release Days/yr:	[redacted]	[redacted]	[redacted]	[redacted]
Per Site Release:	[redacted]	[redacted]	[redacted]	[redacted]
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0100

SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 2 Number of Sites: [redacted] RELEASE ACTIVITY:PROC: Max LADD

SIC-CODE DESCRIPTION: [redacted]

SIC-CODE (S): [redacted] EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER									
PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				STREAM CONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10
ALL	50	109.29	30.28	18.19	15.12	N/A	N/A	N/A	N/A
ALL	10	109.29	30.28	18.19	15.12	N/A	N/A	N/A	N/A

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES						
Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units
	50%	10%		50%	10%	
Cancer						
$LADD_{pot}$	2.62E-06	2.62E-06	mg/kg/day	0.00	0.00	mg/kg/day
$LADC_{pot}$	2.01E-04	2.01E-04	mg/L	0.00	0.00	mg/kg
Acute						
ADR_{pot}	N/A	N/A	mg/kg/day	N/A	N/A	mg/kg/day

SIC Code Comments:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0100 Assessor: EvaWong/ND

ENVIRONMENTAL RELEASES

Scenario#:3 Number of Release Sites: [redacted]

Release Activity: USE: Max ADR

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
Total Releases:	[redacted]	[redacted]	[redacted]	[redacted]
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
		Non-sludge/Sludge		
Release Days/yr:	[redacted]	[redacted]	[redacted]	[redacted]
Per Site Release:	[redacted]	[redacted]	[redacted]	[redacted]
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0100

SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 3 Number of Sites: [redacted] RELEASE ACTIVITY:USE: Max ADR

SIC-CODE DESCRIPTION: [redacted]

SIC-CODE (S): [redacted] EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER

PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				STREAM CONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10
ALL	50	5204.76	2263.90	1583.16	1275.49	5.32E-02	0.12	0.17	0.22
ALL	10	302.17	109.05	68.58	56.47	0.92	2.54	4.04	4.91

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES

Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units
	50%	10%		50%	10%	
Cancer						
$LADD_{pot}$	1.32E-07	2.28E-06	mg/kg/day	0.00	0.00	mg/kg/day
$LADC_{pot}$	1.02E-05	1.75E-04	mg/L	0.00	0.00	mg/kg
Acute						
ADR_{pot}	4.63E-06	9.62E-05	mg/kg/day	0.00	0.00	mg/kg/day

SIC Code Comments:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0100 Assessor: EvaWong/ND

ENVIRONMENTAL RELEASES

Scenario#:4 Number of Release Sites: [redacted]

Release Activity: USE: Max LADD

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
Total Releases:	[redacted]	[redacted]	[redacted]	[redacted]
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
		Non-sludge/Sludge		
Release Days/yr:	[redacted]	[redacted]	[redacted]	[redacted]
Per Site Release:	[redacted]	[redacted]	[redacted]	[redacted]
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0100

SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 4 Number of Sites: [redacted] RELEASE ACTIVITY:USE: Max LADD

SIC-CODE DESCRIPTION: [redacted]

SIC-CODE (S): [redacted] EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER								
PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				STREAM CONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10
ALL	50	5204.76	2263.90	1583.16	1275.49	N/A	N/A	N/A	N/A
ALL	10	302.17	109.05	68.58	56.47	N/A	N/A	N/A	N/A

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES						
Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units
	50%	10%		50%	10%	
Cancer						
$LADD_{pot}$	1.79E-07	3.08E-06	mg/kg/day	0.00	0.00	mg/kg/day
$LADC_{pot}$	1.38E-05	2.37E-04	mg/L	0.00	0.00	mg/kg
Acute						
ADR_{pot}	N/A	N/A	mg/kg/day	N/A	N/A	mg/kg/day

SIC Code Comments: